

Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at http://about.jstor.org/participate-jstor/individuals/early-journal-content.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

An Extract of the Journal of the Society at Dublin; giving an account of a Periodicall Evacuation of Blood at the end of one of the Fingers.

Decem. 22, 1684.

A Letter was read from Mr. Alb, in answer to a Query fent down by the Society to him concerning a man who had a constant and periodical, Evacuation of Blood at the end of his fore-Finger; from which Letter the following return is abstracted.

the following return is abstracted.

Walter Walsh, an Inn-keeper in Trym, born in Ireland, of a temperate Diet, Sanguin Complexion, and pleasant Humor, in the 43d year of his Age, anno 1658, about Easter, was seiz'd with a great pain over all his right Arm; a great heat, and redness in his right hand; and a pricking in the point of the fore-Finger; whereon there appear'd a small speck, as if a little Thorn had run in; and supposing it such he opend it, whereupon the Blood spun out in a Violent but small stream; after it had spent its Violence, it would cease for a while and only drop, and then spring out with Violence again, continuing thus for 24 hours, till at last he fainted away, and then the Blood stancht of it self, and his pains left him: from that time during his whole life, (which continued 12 years,) he was frequently troubled with like Fits; seldom having a respit of 2 months, and they never returned oftener then in 3 weeks: he rarely Bled less then a Pottle at a time; the oftener the Fit came the less he Bled; and the more rarely it affaulted him, he Bled the more; whenever they endeavor'd to stanch the Blood, it raised most exquisite tortures in his Arm; no remedys A a 2 that

[990]

that were ever used proved in the least effectuall: he had no other distemper that troubled him; neither season, nor weather wrought upon him: he had no outward accident that at first brought the Bleeding: Drinking more then ordinary made him more apt to Bleed: he had no Child after his first seisure: these frequent Fits brought him at last very low, insomuch that towards his latter end he Bled but little, and that too but like diluted water. He dyed of this Distemper on the 13th of Feb. 16%.